

<WA1/>
<AW1/>
2023


JavaScript Modules

“The” language of the Web

Fulvio Corno

Luigi De Russis

Enrico Masala





JavaScript: The Definitive Guide, 7th Edition
Chapter 10. Modules

Mozilla Developer Network

- [Web technology for developers » JavaScript » JavaScript Guide » JavaScript Modules](#)

Modular JS programming

MODULES

Modules

- Mechanisms for splitting JavaScript programs into separate files that can be imported when needed
- Encapsulate or hide private implementation details and keep the global namespace tidy so that modules can not accidentally modify the variables, functions and classes defined by other modules
- 3 kinds of modules ⇒

1. *Do-It-Yourself* (with classes, objects, IIFE and closures)
2. **ES6 modules** (using `export` and `import`)
 1. ECMA Standard
 2. Supported by recent browsers
 3. Supported by Node (v13+)
3. Node.js modules (using `require()`) – called **CommonJS**
 1. Based on closures
 2. Never standardized by ECMA, but the normal practice with Node

ES6 Modules

- A module is a JavaScript file that **exports** one or more values (objects, functions or variables), using the **export** keyword
 - each module is a piece of code that is executed once it is loaded
- Any other JavaScript module can **import** the functionality offered by another module by importing it, with the **import** keyword
- Imports and exports must be at the *top level*
- Two main kinds of exports:
 - **named** exports (several per module)
 - **default** exports (one per module)

Default Export

- Modules that only export **single values**
 - one per module
 - You are exporting a values, but not the name of the resource
- Syntax
 - `export default <value>`

```
export default str =>  
str.toUpperCase();  
  
// OTHER examples  
export default {x: 5, y: 6};  
  
export default "name";  
  
function grades(student) {...};  
export default grades;
```

Named Exports

- Modules that export **one or more values**
 - several per module
 - Exports **also the names**
- Syntax
 - **export <value>**
 - **export {<value>, <...>}**

```
export const name = 'Luigi';

function grades(student) {...};
export grades;

const name = 'Luigi';
const anotherName = 'Fulvio';
export { name, anotherName }
// we can also rename them...
// export {name, anotherName as
teacher}
```

Imports

- To import something exported by another module
- Syntax
 - `import package from 'module-name'`
- Imports are:
 - hoisted
 - read-only views on exports

Import From a Default Export

```
--- module1.js ---  
export default str =>  
str.toUpperCase();
```

```
--- module2.js ---  
import toUpperCase from './module1.js';  
// you choose the name!  
  
// another example  
import uppercase from  
'/home/app/module1.js';  
  
// usage of the imported function  
uppercase('test');
```

Import From a Named Export

```
--- module1.js ---  
const name = 'Luigi';  
const anotherName = 'Fulvio';  
  
export { name, anotherName };
```

```
--- module2.js ---  
import { name, anotherName } from  
'./module1.js';  
  
// you can rename imported values, if  
you want  
import { name as first, anotherName as  
second} from './module1.js';  
  
// usage  
console.log(first);
```

Other Imports Options

- You can import everything a module exports
 - `import * from 'module'`
- You can import a few of the exports (e.g., if exports `{a, b, c}`):
 - `import {a} from 'module'`
- You can import the default export alongside with any named exports:
 - `import default, { name } from 'module'`

ES6 Modules In The Browser

<https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Modules>

<https://v8.dev/features/modules>

- File extension
 - Preferred: `.mjs` (ensure the server sets Content-Type: `text/javascript`)
 - Also accepted: `.js`
- Load in HTML
 - `<script type="module" src="main.js"></script>`
 - Only load the “main” modules, others will be loaded by `import` statements
 - Only files loaded with `type="module"` may use `import` and `export`
 - Modules are automatically loaded in `defer` mode
 - Note: locally loading modules (`file:///`) **does not work** due to CORS

ES6 Modules In Node.js

- Node.js started to support ES6 modules only recently
- From Node.js v14 (LTS)
 - Enabled by default
 - Must use a file extension of .mjs or specify "type": "module" in package.json
 - <https://nodejs.org/docs/latest-v18.x/api/esm.html#enabling>
- **Beware:** not all Node.js modules are provided as ES6 modules

CommonJS Modules

- The standard module format in Node.js
- Uses the `.js` or `.cjs` extension
- Not natively supported by browsers
 - Unless you use libraries such as RequireJS (<https://requirejs.org/>)
- It is basically a wrapper around your module code

```
(function(exports, require, module, __filename, __dirname) {  
  // Module code actually lives in here  
});
```


<https://nodejs.org/docs/latest-v18.x/api/modules.html>

CommonJS Imports

- To import something exported by another module
- `const package = require('module-name')`
 - Looked up in node_modules
- `const myLocalModule = require('./path/myLocalModule');`
 - Looked up in a relative path from __dirname or \$cwd

CommonJS Exports

- Assign your exported variables by creating **new properties in the object module.exports** (shortcut: exports)
- Examples:
 - `exports.area = (r) => Math.PI * r ** 2;`
 - `module.exports = class Square {
 constructor(width) {
 this.width = width;
 }
 area() {
 return this.width ** 2;
 }
};`



License

- These slides are distributed under a Creative Commons license “**Attribution-NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0)**”
- **You are free to:**
 - **Share** — copy and redistribute the material in any medium or format
 - **Adapt** — remix, transform, and build upon the material
 - The licensor cannot revoke these freedoms as long as you follow the license terms.
- **Under the following terms:**
 - **Attribution** — You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.
 - **NonCommercial** — You may not use the material for commercial purposes.
 - **ShareAlike** — If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original.
 - **No additional restrictions** — You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.
- <https://creativecommons.org/licenses/by-nc-sa/4.0/>